

water quality
report



Deep in the forested Mountains of the city of Hendek, Turkey lies the source for Boon Water. However, the journey of Boon water starts even higher, in the clouds as precipitation. After the water has come down from the sky in the form of rain, it makes its way through the earth, gathering with its natural minerals from the rocks and soil.



The mineral rich water then finds its way to the water source in the mountains of Turkey where it is pumped with high-tech technology straight into the bottle at Boon's bottling facility. Because of its isolated location far away from human contact or pollution, Boon is guaranteed to provide the purest, most natural form of water possible.






Ozone is a natural gas in the atmosphere. Each ozone molecule is a chemical compound that consists of three oxygen atoms and is higher in energy. O_3 has a much more powerful oxidant effect than O_2 . Ozone is strongly odorous, dangerous to inhalation, and blue in color. It

is used as a bacteria, mold, ferment, and virus killer in drinking water supply plants because of its powerful oxidation and disinfectant features. However, when water is ozonized, it loses its state of naturalness because of the effects of the harsh chemical processes. In addition to this, ozone can change the taste of the water because of its mineral compound. Ozone is clearly a very powerful oxident.

If there is Bromide in the water, ozonation converts it to Bromate, a substance that is harmful to health.

In natural mineral waters, more than 50 micrograms/Liter of ozone, more than 3 micrograms/liter of Bromate, and more than 1 microgram/liter of Bromoform are considered undesirable amounts. Levels above these limit values of ozone, Bromate, and Bromoform are harmful to health.

Because of these reasons, in our bottling plant, ozonation and all other chemical operations are not applied to Boon water, and Boon is brought to consumers in its purest and most natural form just as it is at its source.






Isolated in the mountains of Sakarya, Turkey, at an altitude of 1,060 meters, far away from any human pollution, lies the facility that produces Boon Water. To keep the purity and natural state of Boon Water, fully automated machines, packaging systems and high-tech pumps are used to take the water directly from the source into the bottle without ever being exposed to the outside world.

Having the most modern, high-tech facility in Turkey, Boon Water is not cleaned or purified with chemicals or ozone, allowing it to remain in its purest and most natural form.

The Facility covers a total area of 70,000 m², 12,500 m² being a closed area, and 57,500 m² being an open area. The distance between the facility and the water source is approximately 10 km. Within the bottling facility, we have a line that bottles 0.33L, 0.5L, 1L, and 1.5L sized bottles without ozonation. Approximately 40,000 bottles/hour can be bottled. The bottles sized 0.33L, 0.5L, and 1L also come in bottles with sports caps





علامة الجودة الإماراتية
Emirates Quality Mark

EMIRATES QUALITY MARK
Certificate of Conformity



United Arab Emirates

هيئة الإمارات للمواصفات والمقاييس
Emirates Authority For Standardization & Metrology



علامة الجودة الإماراتية
شهادة مطابقة
CERTIFICATE OF CONFORMITY
EMIRATES QUALITY MARK

Certificate No. 0207/14 Issue Date: 08, June 2014 Valid Until: 07 June 2017

The Emirates Authority for Standardization & Metrology (ESMA)

Hereby certify that:

Atasu Su ve Su Ürünleri Gıda Turz. San. ve Tic. A.Ş.
ÇAMLICA BELDESİ YEŞİLLER MAHALLESİ İSTİKLAL CADDESİ NO:207 HENDEK, SAKARYA, TURKEY

Has complied with the following published documents:

ESMA General Rules for Emirates Product Certification Scheme

In respect of a certification scheme for the manufacture of

Elmacık Bottled Natural Mineral Water

These rules have among other things necessitated the submission of samples of the scheduled products for examination and testing by ESMA to the Standards referred to in the schedule. Additionally, the scheme requires the firm:

- (A) To permit their facilities namely: ELMACIK, ÇAMLICA BELDESİ YEŞİLLER MAHALLESİ İSTİKLAL CADDESİ NO:207 HENDEK, SAKARYA, TURKEY to be periodically inspected by ESMA.
- (B) To allow samples of the schedule products to be selected from production, or from the market or independent testing and examination for assurance that continuity of conformity is being maintained.

The firm hereby agrees with ESMA to duly observe and comply with the requirements of the scheduled standards, the general and specific rules and with any regulations for the scheme that ESMA may establish.

Signed on behalf of
ESMA



Abdulla Al Maeeni
Acting Director General

Signed on behalf of

Atasu Su ve Su Ürünleri Gıda Turz. San. ve Tic. A.Ş.

Mr. Orkun OK
Deputy Director General-Technical Services

Atasu
Atasu Su ve Su Ürünleri Gıda Turizm Sanayi Ticaret A.Ş.
Çamlıca Beldesi Yeşiller Mh. İstiklal Cad. 1. Sk. No: 207
Hendek 54300 Sakarya
T : 0 264 658 00 60 F : 0 264 658 00 10
Hendek V.D. 308 050 8834



ص.ب 48666 دبي، الإمارات العربية المتحدة
P.O.Box 48666 Dubai, United Arab Emirates
هاتف +971 4 2949909 فاكس +971 4 2944112

ص.ب 2166 أبو ظبي، الإمارات العربية المتحدة
P.O.Box 2166 Abu Dhabi, United Arab Emirates
هاتف +971 2 6710999 فاكس +971 2 4032614



علامة الجودة الإماراتية
Emirates Quality Mark

www.ESMA.ae



علامة الجودة الإماراتية
Emirates Quality Mark

**LICENSE FOR THE USE OF
EMIRATES QUALITY MARK**



United Arab Emirates

هيئة الإمارات للمواصفات والمقاييس
Emirates Authority For Standardization & Metrology



LICENSE FOR THE USE OF EMIRATES QUALITY MARK (AL-ALAMA)



License No:

0207/14

رقم الرخصة:

Issue Date:

08 June 2014

تاريخ الإصدار:

Valid Until:

07 June 2017

تاريخ الإنتهاء:

Issued to:

Atasu Su ve Su Ürünleri Gıda Turz. San. Ve Tic. A.Ş.
ÇAMLICA BELDESİ YEŞİLLER MAHALLESİ İSTİKLAL CADDESİ NO:207 HENDEK,
SAKARYA, TURKEY

أصدرت إلى:

Based on the Emirates Product Certification Scheme Agreement No. 0207/14 for the following:

Product for which the License is granted:

ELMACIK Bottled Natural Mineral Water

Product Description:

See attached Schedule of Certification

Standard:

UAE S. GSO 987 /2007



Abdulla Al Maeeni
Acting Director General



علامة الجودة الإماراتية
Emirates Quality Mark

ص.ب 48666 دبي، الإمارات العربية المتحدة
P.O.Box 48666 Dubai, United Arab Emirates

ص.ب 2166 أبو ظبي، الإمارات العربية المتحدة
P.O.Box 2166 Abu Dhabi, United Arab Emirates

www.ESMA.ae

600-565554



**TÜV THÜRINGEN &
TÜV INTERNATIONAL CERTIFICATION**
ISO 9001:2008, ISO 14001:2004, ISO 22000:2005

CERTIFICATE



**for the management system according
to ISO 9001:2008, ISO 14001:2004
and ISO 22000:2005**

The proof of the conforming application with the regulation was furnished and in accordance with certification procedure it is certified for the company

**Atasu Su ve Su Ürünleri Gıda Turz. San. ve Tic. A.Ş.
Çamlıca Beldesi Yeşiller Mah. İstiklal Cad. 1. Sok. No: 207
Hendek / Sakarya – Turkey**

Scope

Bottling of natural mineral water

Certificate Registration No.:	TIC 15 100 128111 TIC 15 104 12987 TIC 15 154 12113	Valid until: 2018-08-21 Valid from: 2015-08-24
Audit Report No.:	3330 2KBP D0	Initial certification: 2012

This certification was conducted in accordance with the TIC auditing and certification procedures and is subject to regular surveillance audits.

TÜV Thüringen e.V.
Certification body for
systems and personnel



Jena, 2015-08-24



Original certificates
are branded with a hologram.

The current validity can be demanded at our homepage www.tuev-thueringen.de.

Zertifizierungsstelle des TÜV Thüringen e.V. • Ernst-Ruska-Ring 6 • D-07745 Jena • ☎ +49 3641 399740 • ✉ zertifizierung@tuev-thueringen.de



KOSHER CERTIFICATION



בס"ד

תאריך: ה' כסלו התשע"ה – 27 November, 2014

תיק מספר: 2014-250

Kashrut certificate - תעודת כשרות

לכל מאן דבעי

נעתרנו לבקשת המעוניינים והננו להודיע על שער בת רבים שבתהליך הזיקוק והחיטוי של מי המעין בשם ATASU SU VE SU ÜRÜNLERİ GIDA TURZ. SAN.VE TİC. ELMACIK --בבית החרושת SAKARYA שבמדינת TURKEY אין בהם שום חשש של תערובת איסור, כפי שהוברר לנו במקום בעת המלאכה ובמלוי. על כן המים הנ"ל כשרים הם כולל ימי הפסח. תוקף תעודה זו הוא עד לתאריך ה' כסלו התשע"ו 17 November, 2015. ועל דבר אמת באנו על החתום פה איסטנבול יע"א ביום ה' כסלו התשע"ה. והכל שריר בריר וקים.

To whom it may concern

This is to certify that the NATURAL MINERAL WATER (6) which is filled and packaged as listed below;

1	ELMACIK NATURAL MINERAL WATER	0,33L
2	ELMACIK NATURAL MINERAL WATER	0,5L
3	ELMACIK NATURAL MINERAL WATER	1L
4	ELMACIK NATURAL MINERAL WATER	1,5L
5	ELMACIK NATURAL MINERAL WATER	5L
6	ELMACIK NATURAL MINERAL WATER	10L

by ATASU SU VE SU ÜRÜNLERİ GIDA TURZ. SAN.VE TİC. A.Ş .which is located in SAKARYA, TURKEY is Kosher Pareve including Passover. This Certificate is valid until the 17th of November, 2015.

יחוסף א/א/א
יחוסף א/א/א

2014-250 ATASU 1 of 1





TURKISH STANDARDS INSTITUTION
Halal Certificate of Compliance

TÜRK STANDARDLARI ENSTİTÜSÜ

HELAL UYGUNLUK BELGESİ

معهد المقاييس التركية

شهادة المقاييس الحلال

TURKISH STANDARDS INSTITUTION

HALAL CERTIFICATE OF COMPLIANCE

**BELGE NUMARASI**

REFERENCE NUMBER OF LICENCE

14.0.10.0.04.00/HELAL-149

BELGENİN İLK VERİLİŞ TARİHİ

DATE OF FIRST ISSUE OF LICENCE

17.12.2012

BELGENİN SON GEÇERLİLİK TARİHİ

LICENCE VALID UNTIL

17.12.2015

BELGE SAHİBİ KURULUŞUN ADI

NAME OF THE LICENCE HOLDER

ATASU SU VE SU ÜRÜNLERİ GIDA TURİZM SAN.VE TİC.A.Ş.

BELGE SAHİBİ KURULUŞUN ADRESİ

ADDRESS OF THE LICENCE HOLDER

ÇAMLICA BELDESİ YEŞİLLER MAH.İSTİKLAL CAD.1.SOK.NO:207
HENDEK/SAKARYA SAHARYA/TÜRKİYE

ÜRETİM YERİ ADI

NAME OF THE MANUFACTURING PLACE

ATASU SU VE SU ÜRÜNLERİ GIDA SANAYİ TİCARET A.Ş.

ÜRETİM YERİ ADRESİ

ADDRESS OF THE MANUFACTURING PLACE

ÇAMLICA BELDESİ YEŞİLLER MAH. İSTİKLAL CAD. 1. SOK. NO:207
HENDEK SAHARYA/TÜRKİYE

İPTAL EDİLEN BELGE NUMARASI (Varsa)

INDICATION OF SUPERSEDED LICENCE (if any)

TESCİLLİ TİCARİ MARKASI

REGISTERED TRADE MARK

elmacık

İLGİLİ TÜRK STANDARDI

RELATED TURKISH STANDARD

TS OIC/SMIIC 1 / HELAL GIDA GENEL KILAVUZU / 14.07.2011

BELGE KAPSAMI

SCOPE OF LICENCE

SU ÜRÜN GRUBUNDA:

-TİP 3 DÜŞÜK MİNERALLİ ,ÇEŞİT 9 SODYUM DİYETİNE UYGUN(DÜŞÜK SODYUMLU) DOĞAL MİNERALLİ SU



04/12.2014

MUHAMMET ÖZHAN GÜNDÜZ

HELAL BELGELENDİRME MÜDÜRÜ

1 / 1



Bu belge, T.C. Diyanet İşleri Başkanlığının dini danışmanlığı çerçevesinde, Türk Standardları Enstitüsü tarafından verilmiştir.

This certificate is issued by Turkish Standards Institution under the consultancy of The Turkish Republic Presidency of Religious Affairs.

تم إصدار هذه الشهادة من قبل معهد المقاييس التركية تحت إشراف دينية من رئاسة الشؤون الدينية التركية.





ISO 9001:2008
Quality Management Systems



CERTIFICATE

Certificate no. 11700



Zenith Tekstil İnşaat Ticaret Anonim Şirketi
Uskumruköy Mah. 8.Cad. Fesleğen Sok. No.7 Zekeriyaköy
Sarıyer İSTANBUL

QS Zürich AG certifies that the management system of the above mentioned company has been assessed and meets the requirements established by the following rules:

ISO 9001: 2008

The management system includes:

Production and Export of Natural Spring Water

EA Sector 3

Certificates will be renewed every year along 3 years. The certificates which exceed the expiration date are not valid.

In the course of the one years of validity of the present certificate the enterprise management system must permanently satisfy the requirements of the international regulations.

The fulfilment of these regulations will be regularly controlled by QS Zürich AG.

For precise and updated information concerning possible changes occurred in the certification object of the present certificate, please contact ctr@ctr.com.tr



Audit date: 06.07.2015

Date of issue: 13.07.2015

Expiration date: 05.07.2016

QS Zürich AG
P.O. Box 6335
CH-8050 Zürich
qs-zuerich@quality-service.ch



C. For
Management



ISO 14001:2004 + AC:2009
Environmental Management System



CERTIFICATE

Certificate no. 11701



Zenith Tekstil İnşaat Ticaret Anonim Şirketi
Uskumruköy Mah. 8.Cad. Fesleğen Sok. No.7 Zekeriyaköy
Sarıyer İSTANBUL

QS Zürich AG certifies that the management system of the above mentioned company has been assessed and meets the requirements established by the following rules:

ISO 14001: 2004 + AC: 2009

The management system includes:

Production and Export of Natural Spring Water

EA Sector 3

Certificates will be renewed every year along 3 years. The certificates which exceed the expiration date are not valid.

In the course of the one years of validity of the present certificate the enterprise management system must permanently satisfy the requirements of the international regulations.

The fulfilment of these regulations will be regularly controlled by QS Zürich AG.

For precise and updated information concerning possible changes occurred in the certification object of the present certificate, please contact ctr@ctr.com.tr




Audit date: 07.07.2015

Date of issue: 13.07.2015

Expiration date: 06.07.2016

QS Zürich AG
P.O. Box 6335
CH-8050 Zürich
qs-zuerich@quality-service.ch




Management



ISO 22000

ISO 22000:2005

Food Safety Management Systems



CERTIFICATE

Certificate no. 11703



Zenith Tekstil İnşaat Ticaret Anonim Şirketi
Uskumruköy Mah. 8.Cad. Fesleğen Sok. No.7 Zekeriyaköy
Sarıyer İSTANBUL

QS Zürich AG certifies that the management system of the above mentioned company has been assessed and meets the requirements established by the following rules:

ISO 22000: 2005

The management system includes:

Production and Export of Natural Spring Water

Category E / EA Sector 3

Certificates will be renewed every year along 3 years. The certificates which exceed the expiration date are not valid.

In the course of the one years of validity of the present certificate the enterprise management system must permanently satisfy the requirements of the international regulations.

The fulfilment of these regulations will be regularly controlled by QS Zürich AG.

For precise and updated information concerning possible changes occurred in the certification object of the present certificate, please contact ctr@ctr.com.tr



Audit date: 09.07.2015

Date of issue: 13.07.2015

Expiration date: 08.07.2016

QS Zürich AG
P.O. Box 6335
CH-8050 Zürich
qs-zuerich@quality-service.ch



C. For
Management



OHSAS 18001:2007
Occupational Health and Safety
Management Systems



CERTIFICATE

Certificate no. 11702



Zenith Tekstil İnşaat Ticaret Anonim Şirketi
Uskumruköy Mah. 8.Cad. Fesleğen Sok. No.7 Zekeriyaköy
Sarıyer İSTANBUL

QS Zürich AG certifies that the management system of the above mentioned company has been assessed and meets the requirements established by the following rules:

OHSAS 18001: 2007

The management system includes:

Production and Export of Natural Spring Water

EA Sector 3

Certificates will be renewed every year along 3 years. The certificates which exceed the expiration date are not valid.

In the course of the one years of validity of the present certificate the enterprise management system must permanently satisfy the requirements of the international regulations.

The fulfilment of these regulations will be regularly controlled by QS Zürich AG.

For precise and updated information concerning possible changes occurred in the certification object of the present certificate, please contact ctr@ctr.com.tr



Audit date: 08.07.2015

Date of issue: 13.07.2015

Expiration date: 07.07.2016

QS Zürich AG
P.O. Box 6335
CH-8050 Zürich
qs-zuerich@quality-service.ch



C. For
Management



ANALYSIS REPORT



Sağlık Bakanlığı
İstanbul Halk Sağlığı
Müdürlüğü

TEST REPORT

Send To:

Boon Mineral Water
Uskumrukoy Mah. Feslegen Sk.
No 7 Zekeriyakoy,
34450 Sariyer, İstanbul,
Turkey

Facility:

Çamlıca Mahallesi,
İstiklal Caddesi, No:207
54300 Hendek, Sakarya,
Turkey

Result **PASS**

Report Date 15-MAY-2015

Customer Name Zenith Trade Company
Description Natural Mineral Water Annual Collection

Job Number 29107
Project Number 504/09582

General Information

Date and Time Sampled: 29 APR 2015
Lot Number: 29 APR 2015 P001
Product Description: Natural Mineral Water

Sample Id: **29107**
Description: Natural Mineral Water
Sampled Date: 29 APR 2015
Received Date: 29 APR 2015

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO ₃	5	106		mg/LCaCO ₃	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	0.1	187.5		umhos/cm	
Corrosivity	0	0.18			
Hardness, Total	2	112		mg/LCaCO ₃	
Odor, Threshold	1	ND	3	TON	Pass
Solids Total Dissolved	5	97.2	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	7.96			
Temperature	0	21		deg. C	
Bicarbonate	5	122		mg/L HCO ₃	
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Bromochloroacetic Acid	2	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Radiologicals					
Uranium	0.001	ND	0.03	mg/L	Pass
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.002	ND	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)-Bureau Veritas					
Amphibole Fibers	0.2	ND		MFL	
Chrysotile Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	0.003	2	mg/L	Pass
Beryllium	0.0005	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.04	37.5		mg/L	
Chloride	2	1.07	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.01	ND	0.2	mg/L	Pass
Fluoride	0.1	0.12	1.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.001	ND	0.005	mg/L	Pass
Magnesium	0.04	1.7		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	3.22	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	3.22	10	mg/L	Pass
Potassium	0.5	0.3		mg/L	
Selenium	0.002	ND	0.05	mg/L	Pass
Silica		9.8		mg/L	
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.5	2.6		mg/L	
Sulfate as SO ₄	2.5	5.37		mg/L	
Surfactants (MBAS)	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	0.01	5	mg/L	Pass
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
3-Hydroxycarbofuran	1	ND		ug/L	
Aldicarb	1	ND		ug/L	
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl	1	ND		ug/L	
Carbofuran	1	ND	40	ug/L	Pass
Methomyl	1	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass
Herbicides (Ref: EPA 515.3)					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon	0.2	ND		ug/L	

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Dalapon	1	ND	200	ug/L	Pass
DCPA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
2,4 Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	2	ND	6	ug/L	Pass
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass
Heptachlor Epoxide	0.1	ND	0.2	ug/L	Pass
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl Ethyl Ketone	5	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
trans-1,3-Dichloropropene	0.5	ND		ug/L	
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Chlorinated Pesticides and Organohalides by EPA 508.1					
Chlordane	0.1	ND	2	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
PCB 1016	0.1	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
Toxaphene	0.1	ND	3	ug/L	Pass

ND: Not Detected



 facebook.com/boonwaters

 twitter.com/boonwaters

 instagram.com/boonwaters

 info@boonwater.com



Uskumruköy Mah.
Fesleğen Sk. No.7
Zekeriyaköy / Sarıyer
İSTANBUL
Turkey 34450

www.boonwater.com